

**From:** [Dawn Ioven](#)  
**To:** [Kelley Chase](#)  
**Cc:** [Richard Fetzer](#); [Lora Werner](#); [johnson.eric@epa.gov](mailto:johnson.eric@epa.gov)  
**Subject:** Week 4 Sampling Results - Dimock  
**Date:** 04/17/2012 03:35 PM

---

Hi, Kelley. I reviewed the Validated Summary Reports for the 4th round of homewell samples in Dimock. My preliminary findings are provided below; exceedances of triggers are highlighted in **red**. I will begin working on the draft memos for each homewell, and will provide these to you by COB tomorrow. Any questions, please give me a call.

The following locations had no exceedances of triggers: HW07, HW11, HW27, HW53, HW55, HW58, and HW59.

**HW03: methane** = 15,000 and 28,000 ug/L (HW03)  
Dep't. of Interior standard for dissolved methane in confined spaces = 28,000 ug/L

**HW57: arsenic** = **5.8 ug/L** (HW57), ND (HW57-F, HW57-P, HW57-PF)  
trigger = 4.5 ug/L (at 1E-04), MCL = 10 ug/L

**iron** = **11,200 ug/L** (HW57), ND (HW57-F, HW57-P, HW57-PF)  
trigger = 11,000 ug/L (at HQ =1)

---

Dawn A. Ioven, toxicologist  
U.S. EPA - Region III  
(3HS41)  
1650 Arch street  
Philadelphia, PA 19103  
215.814.3320